AUTHOR INDEX

Abouakil, N., see Lechênede la Porte, P. (920) 237
Alaupovic, P., see Wang, C.-S. (920) 9
Angel, A., see Fong, B.S. (920) 105
Arost, C., see Daggy, B. (920) 293
Atkinson, E., see Sumarno, M. (920) 247
Audubert, F. and Bereziat, G.
The specificity of rat liver phospholipid methyltransferase for lyso derivatives and diacyl derivatives of phosphatidylethanolamine (920) 26
Ayrault-Jarrier, M., see Salmon, S. (920) 215

Baker, R.R. and Chang, H.-Y.
The incorporation of fatty acids into triacylglycerols of isolated neuronal nuclear envelopes: the influence of thiol reducing reagents and chromatin (920) 285
Bale, L.K., see Subbiah, M.T.R. (920) 251
Bensadoun, A., see Daggy, B. (920) 293
Bereziat, G., see Audubert, F. (920) 26
Berglund, L., see Björkhem, I. (920) 20
Beucler, I., see Salmon, S. (920) 215
Bierman, E.L., see Brinton, E.A. (920) 68
Björkhem, I. and Berglund, L.
Stimulatory effect of mevinolin on rat liver phosphatidic acid phosphatase (920) 20
Botham, K.M., see Sampson, W.J. (920) 1
Bowers, P., see Sampson, W.J. (920) 1
Brewer, Jr., H.B., see Wang, C.-S. (920) 9
Brinton, E.A., Oram, J.F. and Bierman, E.L.
The effect of variations in lipid composition of high-density lipoprotein on its interaction with receptors on human fibroblasts (920) 68
Bronner, C., Wiggins, C., Monté, D., Märki, F., Capron, A., Landry, Y. and Franson, R.C.
Compound 48/80 is a potent inhibitor of phospholipase C and a dual modulator of phospholipase A_2 from human platelet (920) 301

Camara, B., see Dogbo, O. (920) 140
Capron, A., see Bronner, C. (920) 301
Careaga, M.M. and Sprecher, H.
Metabolism of 8,11,14,17-eicosatetraenoic acid by human platelet lipoxygenase and cyclooxygenase (920) 94
Caylor, L., see Forte, T.M. (920) 185
Chang, H.-Y., see Baker, R.R. (920) 285
Christiansen, E.N., see Nilsson, A. (920) 114
Christophersen, B.O., see Hagve, T.-A. (920) 149
Clark, S.B. and Derksen, A.
Phosphatidylcholine composition of emulsions influences triacylglycerol lipolysis and clearance from plasma (920) 37
Cole, E.R., see Sumarno, M. (920) 247

Daggy, B., Arost, C. and Bensadoun, A.
Dietary fish oil decreases VLDL production rates (920) 293
Derksen, A., see Clark, S.B. (920) 37
Dogbo, O. and Camara, B.
Purification of isopentenyl pyrophosphate isomerase and geranylgeranyl pyrophosphate synthase from *Capsicum* chromoplasts by affinity chromatography (920) 140
Douste-Blazy, L., see Radom, J. (920) 131

Eisenberg, S., see Marrino, P. (920) 277
Elsbach, P., see Forst, S. (920) 221

Fisher, W.R., see Patterson, B.W. (920) 266
Flatmark, T., see Husebye, E.S. (920) 120
Fong, B.S., Salter, A.M., Jimenez, J. and Angel, A.
The role of apolipoprotein A-I and apolipoprotein A-II in high-density lipoprotein binding to human adipocyte plasma membranes (920) 105
Forst, S., Weiss, J., Maraganore, J.M., Heinrikson, R.L. and Elsbach, P.
Relation between binding and the action of phospholipases A_2 on *Escherichia coli* exposed to the bactericidal/permeability-increasing protein of neutrophils (920) 221
Forte, T.M., Nichols, A.V., Selmek-Halsey, J., Caylor, L. and Shore, V.G.
Lipid-poor apolipoprotein A-I in Hep G2 cells: formation of lipid-rich particles by incubation with dimyristoylphosphatidylcholine (920) 185
Franson, R.C., see Bronner, C. (920) 301
Fukuda, H. and Iritani, N.
Effects of amino-acid composition of the medium and addition of fatty-acid derivatives on the induction of lipogenic enzymes in cultured hepatocytes (920) 56

Gavish, D., see Marrino, P. (920) 277
Goda, S., Kobayashi, T. and Goto, I.
Hydrolysis of galactosylsphingosine and lactosylsphingosine by β-galactosidases in human brain and cultured fibroblasts (920) 259
Goldstein, S., see Salmon, S. (920) 215
Goto, I., see Goda, S. (920) 259
Gregg, R.E., see Wang, C.-S. (920) 9
Gurley, E.C., see Kubaska, W.M. (920) 195

Hagve, T.-A. and Christophersen, B.O.
Sex-related differences in desaturation and chain elongation of essential fatty acids studied in isolated rat hepatocytes (920) 149

Hamberg, M.
Mechanism of corn hydroperoxide isomerase: detection of 12,13(*S*)-oxido-9(*Z*),11-octadecadienoic acid (920) 76
Heinrikson, R.L., see Forst, S. (920) 221
Heuman, D.M., see Kubaska, W.M. (920) 195
Hirota, T.Y.Y.H.M., Matsumoto, M.K.M. and Kobayashi, N.
Detection of gangliotriaose-series glycosphingolipids in serum of cord blood and patients with neuroblastoma by a sensitive TLC/enzyme-immunostaining method (920) 181
Houghton, J.D., see Sampson, W.J. (920) 1
Husebye, E.S. and Flatmark, T.
Characterization of phospholipase activities in chromaffin granule ghosts isolated from the bovine adrenal medulla (920) 120
Hylemon, P.B., see Kubaska, W.M. (920) 195

Iritani, N., see Fukuda, H. (920) 56
Isono, H., see Katoh, H. (920) 171

Jimenez, J., see Fong, B.S. (920) 105

Katoh, H., Kawashima, Y., Watanuki, H., Kozuka, H. and Isono, H.
Effects of clofibric acid and tiadenol on cytosolic long-chain acyl-CoA hydrolase and peroxisomal β-oxidation in liver and extrahepatic tissues of rats (920) 171
Kawasaki, T. and Snyder, F.
The metabolism of lyso-platelet-activating factor (1-*O*-alkyl-2-lyso-*sn*-glycero-3-phosphocholine) by a calcium-dependent lysophospholipase D in rabbit kidney medulla (920) 85
Kawashima, Y., see Katoh, H. (920) 171
Kobayashi, N., see Hirota, T.Y.Y.H.M. (920) 181
Kobayashi, T., see Goda, S. (920) 259
Kochetkov, N.K., see Smirnova, G.P. (920) 47
Kottke, B.A., see Subbiah, M.T.R. (920) 251
Kozuka, H., see Katoh, H. (920) 171
Kubaska, W.M., Gurley, E.C., Hylemon, P.B., Heuman, D.M., Mosbach, E.H. and Vlahcevic, Z.R.
Effects of ursodeoxycholic acid, analogues of ursodeoxycholic acid and combination of bile acids on bile acid synthesis in cultured rat hepatocytes (920) 195
Kurup, C.K.R., see Mehta, P.P. (920) 102

Lafont, H., see Lechênede la Porte, P. (920) 237
Landry, Y., see Bronner, C. (920) 301
Lechêne de la Porte, P., Abouakil, N., Lafont, H. and Lombardo, D.
Subcellular localization of cholesterol ester hydrolase in the human intestine (920) 237
Lombardo, D., see Lechênede la Porte, P. (920) 237

Maraganore, J.M., see Forst, S. (920) 221
Maret, A., see Radom, J. (920) 131
Märki, F., see Bronner, C. (920) 301
Marrino, P., Gavish, D., Shafrir, E. and Eisenberg, S.
Diurnal variations of plasma lipids, tissue and plasma lipoprotein lipase, and VLDL secretion rates in the rat. A model for studies of VLDL metabolism (920) 277
Matsumoto, M.K.M., see Hirota, T.Y.Y.H.M. (920) 181
Maziere, C., see Salmon, S. (920) 215
Mehta, P.P., Ramasarma, T. and Kurup, C.K.R.
Hypocholesterolemic action of 1-ethoxysilatrane (920) 102
Mendelson, C.R., see Snyder, J.M. (920) 226
Miller, N.H., see Patterson, B.W. (920) 266
Monté, D., see Bronner, C. (920) 301
Mosbach, E.H., see Kubaska, W.M. (920) 195

Nègre, A., see Radom, J. (920) 131
Nichols, A.V., see Forte, T.M. (920) 185
Nilsson, A., Prydz, K., Rørtveit, T. and Christiansen, E.N.
Studies on the interrelated stimulation of microsomal ω-oxidation and peroxisomal β-oxidation in rat liver with a partially hydrogenated fish oil diet (920) 114

Oram, J.F., see Brinton, E.A. (920) 68

Patelunas, D., see Purdon, A.D. (920) 205
Patterson, B.W., Miller, N.H. and Fisher, W.R.
Structural studies of apolipoprotein B: physical properties of the protein in guanidine hydrochloride (920) 266
Polonovski, J., see Salmon, S. (920) 215
Prydz, K., see Nilsson, A. (920) 114
Purdon, A.D., Patelunas, D. and Smith, J.B.
Evidence for the release of arachidonic acid through the selective action of phospholipase A_2 in thrombin-stimulated human platelets (920) 205

Radom, J., Salvayre, R., Maret, A., Nègre, A. and Douste-Blazy, L.
Metabolism of 1-pyrenedecanoic acid and accumulation of neutral fluorescent lipids in cultured fibroblasts of multisystemic lipid storage myopathy (920) 131
Ramasarma, T., see Mehta, P.P. (920) 102
Rørtveit, T., see Nilsson, A. (920) 114
Rymaszewski, Z., see Subbiah, M.T.R. (920) 251

Sadovskaya, V.L., see Smirnova, G.P. (920) 47
Salmon, S., Maziere, C., Theron, L., Beucler, I., Ayrault-Jarrier, M., Goldstein, S. and Polonovski, J.
Immunological detection of low-density lipoproteins modified by malondialdehyde in vitro or in vivo (920) 215
Salter, A.M., see Fong, B.S. (920) 105
Salvayre, R., see Radom, J. (920) 131
Sampson, W.J., Suffolk, R.A., Bowers, P., Houghton, J.D., Botham, K.M. and Suckling, K.E.
The role of acyl-CoA : cholesterol acyltransferase in the metabolism of free cholesterol to cholesteryl esters or bile acids in primary cultures of rat hepatocytes (920) 1
Saunders, J.K., see Sumarno, M. (920) 247
Schade, G.B., see Yamazaki, R.K. (920) 62
Selmek-Halsey, J., see Forte, T.M. (920) 185
Shafrir, E., see Marrino, P. (920) 277
Shen, T., see Yamazaki, R.K. (920) 62
Shore, V.G., see Forte, T.M. (920) 185
Smirnova, G.P., Kochetkov, N.K. and Sadovskaya, V.L.
Gangliosides of the starfish *Aphelasterias japonica*, evidence for a new linkage between two *N*-glycolylneuraminic

acid residues through the hydroxy group of the glycolic acid residue (920) 47
Smith, J.B., see Purdon, A.D. (920) 205
Snyder, F., see Kawasaki, T. (920) 85
Snyder, J.M. and Mendelson, C.R.
Induction and characterization of the major surfactant apoprotein during rabbit fetal lung development (920) 226
Snyder, W.R.
Bacillus cereus phospholipase C: carboxylic acid ester specificity and stereoselectivity (920) 155
Southwell-Keely, P.T., see Sumarno, M. (920) 247
Sprecher, H., see Careaga, M.M. (920) 94
Suarna, C., see Sumarno, M. (920) 247
Subbiah, M.T.R., Yunker, R.L., Rymaszewski, Z., Kottke, B.A. and Bale, L.K.
Cholestyramine treatment in early life of low-density lipoprotein receptor deficient Watanabe rabbits: decreased aortic cholesteryl ester accumulation and atherosclerosis in adult life (920) 251
Suckling, K.E., see Sampson, W.J. (920) 1
Suffolk, R.A., see Sampson, W.J. (920) 1
Sumarno, M., Atkinson, E., Suarna, C., Saunders, J.K., Cole, E.R. and Southwell-Keely, P.T.
Solvent influence on model oxidations of α-tocopherol (920) 247

Teichert, T. and Wodtke, E.
The influence of acclimation temperature on carp liver 3-hydroxy-3-methylglutaryl coenzyme A reductase (920) 161
Theron, L., see Salmon, S. (920) 215

Vlahcevic, Z.R., see Kubaska, W.M. (920) 195

Wang, C.-S., Alaupovic, P., Gregg, R.E. and Brewer, Jr., H.B.
Studies on the mechanism of hypertriglyceridemia in Tangier disease. Determination of plasma lipolytic activities, k_1 values and apolipoprotein composition of the major lipoprotein density classes (920) 9
Watanuki, H., see Katoh, H. (920) 171
Weiss, J., see Forst, S. (920) 221
Wiggins, C., see Bronner, C. (920) 301
Wodtke, E., see Teichert, T. (920) 161

Yamazaki, R.K., Shen, T. and Schade, G.B.
A diet rich in $(n-3)$ fatty acids increases peroxisomal β-oxidation activity and lowers plasma triacylglycerols without inhibiting glutathione-dependent detoxication activities in the rat liver (920) 62
Yunker, R.L., see Subbiah, M.T.R. (920) 251